

Report No.: NB212602050006-R1

Date: February 28, 2026

Page:1/8

Applicant : SHENZHEN LEVETOP LTD.

Address : C2506, INNOVATION PLAZA, NO. 2007 PINGSHAN AVENUE, LIULIAN COMMUNITY,
PINGSHAN STREET, PINGSHAN DISTRICT, SHENZHEN CITY

The following merchandise were submitted and identified by the clients as:

Sample Name: Chip

Model No.: LT7680A-R,LT7680B-R,LT7680+,LT7681,LT7683,LT7686,LT7381,LT268A,
LT32U02,LT32A01,LT7688,LT7689,LT32U03B,LT268C,LT776,LT268D,LT269,
LT268B,LT32U03A,LT3688,LT32U03C,LT168A,LT168B,LT168C,LT168D,LT1604M,
LT7580,LT7583,LT7586,LT7589A,LT7589B,LT7589C,LT7586B,LT165A,LT265,
LT779,LT163,LT363

Color: Black

The following information were confirmed by the laboratory:

Testing Period: From February 5, 2026 to February 10, 2026

Test Results: Please refer to next page(s)

Summary of test results

	Test Requested	Conclusion
1	Perfluoroalkyl and Polyfluoroalkyl substances (PFAS) Content in submitted sample by client's request	DATA

Signed for and on behalf of Guangdong NewBest Testing Service Co., Ltd.

Approved by:



Manager

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Items marked with “#” means they are not accredited by CNAS, “s” means the item of subcontractor, “*” means test items was/were not in CMA scope and the result cannot be as social justice proof data.

Room 201, Room 401, Building 11, No.38 Dongke Road, Dongcheng Street, Dongguan City, Guangdong Province

Test results:

Tested part(s) description:

Test Item(s)	Description	Location
I001	Black chip	--

1. Perfluoroalkyl and Polyfluoroalkyl substances (PFAS) Content

Test Method: Solvent extraction, analyzed by LC-MS-MS & GC-MS.

No.	Analyte		CAS No.	MDL (mg/kg)	Client's Requirement (mg/kg)	Result (mg/kg)
						Test Item(s)
						I001
1	Perfluorooctanesulfonic acid	PFOS	1763-23-1	0.01	--	N.D.
2	Potassium perfluorooctanesulfonate*	PFOS-K	2795-39-3	0.01	--	N.D.
3	Lithium perfluorooctanesulfonate*	PFOS-Li	29457-72-5	0.01	--	N.D.
4	Sodium perfluorooctanesulfonate*	PFOS-Na	4021-47-0	0.01	--	N.D.
5	Magnesium bis(perfluorooctanesulfonate)*	POSF-Mg	91036-71-4	0.01	--	N.D.
6	Ammonium perfluorooctanesulfonate*	PFOS-NH4	29081-56-9	0.01	--	N.D.
7	Diethanolamine perfluorooctanesulfonate*	PFOS-DEA	70225-14-8	0.01	--	N.D.
8	Tetraethylammonium perfluorooctanesulfonate*	PFOS-TEA	56773-42-3	0.01	--	N.D.
9	N-Decyl-N,N-dimethyl-1-decanaminium perfluorooctanesulfonate*	PFOS-DDMA	251099-16-8	0.01	--	N.D.
10	Perfluorooctanesulfonyl fluoride*	PFOS-F	307-35-7	0.01	--	N.D.

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Items marked with “#” means they are not accredited by CNAS, “s” means the item of subcontractor, “*” means test items was/were not in CMA scope and the result cannot be as social justice proof data.

Room 201, Room 401, Building 11, No.38 Dongke Road, Dongcheng Street, Dongguan City, Guangdong Province

No.	Analyte		CAS No.	MDL (mg/kg)	Client's Requirement (mg/kg)	Result (mg/kg)
						Test Item(s)
						1001
11	Piperidinium perfluorooctanesulfonate*	PFOS-Pip	71463-74-6	0.01	--	N.D.
12	Tetrabutylammonium perfluorooctanesulfonate*	PFOS-TB A	111873-33-7	0.01	--	N.D.
13	Perfluoro-n-hexanoic acid	PFHxA	307-24-4	0.01	--	N.D.
14	Lithium perfluorohexanoate*	PFHxA-Li	90430-61-8	0.01	--	N.D.
15	Sodium perfluorohexanoate*	PFHxA-Na	2923-26-4	0.01	--	N.D.
16	Potassium perfluorohexanoate*	PFHxA-K	3109-94-2	0.01	--	N.D.
17	Silver perfluorohexanoate*	PFHxA-Ag	336-02-7	0.01	--	N.D.
18	Ammonium undecafluorohexanoate*	PFHxA-NH 4	21615-47-4	0.01	--	N.D.
19	Perfluoro-n-heptanoic acid	PFHpA	375-85-9	0.01	--	N.D.
20	Lithium perfluoroheptanoate*	PFHpA-Li	60871-90-1	0.01	--	N.D.
21	Sodium perfluoroheptanoate*	PFHpA-Na	20109-59-5	0.01	--	N.D.
22	Potassium perfluoroheptanoate*	PFHpA-K	21049-36-5	0.01	--	N.D.
23	Silver perfluoroheptanoate*	PFHpA-Ag	424-05-5	0.01	--	N.D.
24	Cesium perfluoroheptanoate*	PFHpA-Cs	171198-24-6	0.01	--	N.D.
25	Ammonium perfluoroheptanoate*	PFHpA-N H4	6130-43-4	0.01	--	N.D.
26	Perfluoro-n-octanoic acid	PFOA	335-67-1	0.01	--	N.D.
27	Lithium perfluorooctanoate*	PFOA-Li	17125-58-5	0.01	--	N.D.
28	Sodium perfluorooctanoate*	PFOA-Na	335-95-5	0.01	--	N.D.
29	Potassium perfluorooctanoate*	PFOA-K	2395-00-8	0.01	--	N.D.
30	Silver perfluorooctanoate*	PFOA-Ag	335-93-3	0.01	--	N.D.

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Items marked with “#” means they are not accredited by CNAS, “s” means the item of subcontractor, “*” means test items was/were not in CMA scope and the result cannot be as social justice proof data.

Room 201, Room 401, Building 11, No.38 Dongke Road, Dongcheng Street, Dongguan City, Guangdong Province

No.	Analyte	CAS No.	MDL (mg/kg)	Client's Requirement (mg/kg)	Result (mg/kg)	
					Test Item(s)	
					1001	
31	Cesium perfluorooctanoate*	PFOA-Cs	17125-60-9	0.01	--	N.D.
32	Cobalt perfluorooctanoate*	PFOA-Co	35965-01-6	0.01	--	N.D.
33	Chromium(3+) perfluorooctanoate*	PFOA-Cr	68141-02-6	0.01	--	N.D.
34	Ammonium perfluorooctanoate*	APFO	3825-26-1	0.01	--	N.D.
35	Perfluorooctanoyl fluoride*	PFOA-F	335-66-0	0.01	--	N.D.
36	Perfluorooctanoyl chloride*	PFOA-Cl	335-64-8	0.01	--	N.D.
37	Tetramethylammonium perfluorooctanoate*	PFOA-TM A	32609-65-7	0.01	--	N.D.
38	Tetraethylammonium perfluorooctanoate*	PFOA-TE A	98241-25-9	0.01	--	N.D.
39	Tetrapropylammonium perfluorooctanoate*	PFOA-TPA	277749-00-5	0.01	--	N.D.
40	Pentadecafluorooctanoic acid- piperazine (1:1)*	PFOA-PZ	423-52-9	0.01	--	N.D.
41	Perfluorobutanesulfonic acid	PFBS	375-73-5	0.01	--	N.D.
42	Lithium perfluorobutanesulfonate*	PFBS- Li	131651-65-5	0.01	--	N.D.
43	Sodium perfluorobutanesulfonate*	PFBS- Na	60453-92-1	0.01	--	N.D.
44	Potassium perfluorobutanesulfonate*	PFBS-K	29420-49-3	0.01	--	N.D.
45	Magnesium perfluorobutanesulfonate*	PFBS-Mg	507453-86-3	0.01	--	N.D.
46	Ammonium perfluorobutanesulfonate*	PFBS-NH4	68259-10-9	0.01	--	N.D.
47	Perfluorobutanesulfonyl chloride*	PFBS-Cl	2991-84-6	0.01	--	N.D.
48	Perfluorobutanesulfonic acid hydrate*	PFBS-H2 O	59933-66-3	0.01	--	N.D.

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Items marked with “#” means they are not accredited by CNAS, “s” means the item of subcontractor, “*” means test items was/were not in CMA scope and the result cannot be as social justice proof data.

Room 201, Room 401, Building 11, No.38 Dongke Road, Dongcheng Street, Dongguan City, Guangdong Province

No.	Analyte	CAS No.	MDL (mg/kg)	Client's Requirement (mg/kg)	Result (mg/kg)	
					Test Item(s)	
					1001	
49	N,N,N,-triethylethanaminium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1- sulfonate*	PFBS-N(C2H5)4	25628-08-4	0.01	--	N.D.
50	Dimethyl(phenyl)sulfonium perfluorobutanesulfonate*	PFBS-DMPS	220133-51-7	0.01	--	N.D.
51	Triphenylsulfonium perfluorobutanesulfonate*	PFBS-TPS	144317-44-2	0.01	--	N.D.
52	N-Morpholinium perfluorobutanesulfonate*	PFBS-NH2(C2H4)2O	503155-89-3	0.01	--	N.D.
53	Bis(4-tert-butylphenyl)iodonium perfluoro-1-butanesulfonate*	PFBS-BtPhI	194999-85-4	0.01	--	N.D.
54	1-(4-butoxy-1-naphthyl)tetrahydrothiophenium nonafluorobutane-1-sulfonate*	PFBS-C18H22OS	209482-18-8	0.01	--	N.D.
55	Perfluorobutylsulfonyl fluoride*	PFBS-F	375-72-4	0.01	--	N.D.
56	Tetrabutylphosphorus perfluorobutylsulfonate*	PFBS-TBP	220689-12-3	0.01	--	N.D.
57	Perfluorohexanesulfonic acid	PFHxS	355-46-4	0.01	--	N.D.
58	Lithium perfluorohexanesulfonate*	PFHxS-Li	55120-77-9	0.01	--	N.D.
59	Sodium perfluorohexanesulfonate*	PFHxS-Na	82382-12-5	0.01	--	N.D.
60	Potassium perfluorohexanesulfonate*	PFHxS-K	3871-99-6	0.01	--	N.D.
61	Zinc perfluorohexanesulfonate*	PFHxS-Zn	70136-72-0	0.01	--	N.D.

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Items marked with “#” means they are not accredited by CNAS, “s” means the item of subcontractor, “*” means test items was/were not in CMA scope and the result cannot be as social justice proof data.

Room 201, Room 401, Building 11, No.38 Dongke Road, Dongcheng Street, Dongguan City, Guangdong Province

No.	Analyte		CAS No.	MDL (mg/kg)	Client's Requirement (mg/kg)	Result (mg/kg)
						Test Item(s)
						1001
62	Gallium(3+) tris(tridecafluorohexane-1-yl sulfonate)*	PFHxS-Ga	341035-71-0	0.01	--	N.D.
63	Perfluorohexanesulfonic acid, scandium(3+) salt (3:1)*	PFHxS-Sc	350836-93-0	0.01	--	N.D.
64	1H,1H,2H,2H-Perfluorododecane sulfonate acid	8:2 FTS	39108-34-4	0.01	--	N.D.
65	Sodium 1H,1H,2H,2H-Perfluorododecane sulfonate*	8:2 FTS-Na	27619-96-1	0.01	--	N.D.
66	Ammonium 1H,1H,2H,2H-Perfluorododecane sulfonate*	8:2 FTS-NH4	149724-40-3	0.01	--	N.D.
67	Perfluorooctanesulfonamide	PFOSA	754-91-6	0.01	--	N.D.
68	Perfluorooctanesulfonamide lithium salt (1:1)*	PFOSA-Li	76752-79-9	0.01	--	N.D.
69	N-Methylperfluoro-1-octanesulfonamide	N-MeFOSA	31506-32-8	0.01	--	N.D.
70	N-Ethylperfluoro-1-octanesulfonamide	N-EtFOSA	4151-50-2	0.01	--	N.D.
71	2-(N-methylperfluoro-1-octanesulfonamido)-ethanol	N-MeFOSA-E	24448-09-7	0.01	--	N.D.
72	2-(N-Ethylperfluoro-1-octanesulfonamido)-ethanol	N-EtFOSE	1691-99-2	0.01	--	N.D.
73	Bis[2-(perfluorooctyl)ethyl] phosphate	8:2 diPAP	678-41-1	0.01	--	N.D.
74	Sodium bis[2-(perfluorooctyl)ethyl] phosphate*	8:2 diPAP-Na	114519-85-6	0.01	--	N.D.
75	Ammonium bis(1H,1H,2H,2H-perfluorodecyl)phosphate*	8:2 diPAP-NH4	93776-20-6	0.01	--	N.D.

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Items marked with “#” means they are not accredited by CNAS, “s” means the item of subcontractor, “*” means test items was/were not in CMA scope and the result cannot be as social justice proof data.

Room 201, Room 401, Building 11, No.38 Dongke Road, Dongcheng Street, Dongguan City, Guangdong Province

No.	Analyte		CAS No.	MDL (mg/kg)	Client's Requirement (mg/kg)	Result (mg/kg)
						Test Item(s)
						I001
76	Methyl perfluorooctanoate	PFOA-Me	376-27-2	0.1	--	N.D.
77	Ethyl perfluorooctanoate	PFOA-Et	3108-24-5	0.1	--	N.D.
78	2-Perfluorooctylethanol	8:2 FTOH	678-39-7	0.1	--	N.D.
79	Perfluoro-1-iodooctane	PFOI	507-63-1	0.1	--	N.D.
80	1H,1H,2H,2H-Perfluorodecyltriethoxysilane	PFSI	101947-16-4	0.1	--	N.D.
81	1H,1H,2H,2H-Perfluorodecyl methacrylate	8:2 FTMA	1996-88-9	0.1	--	N.D.
82	1H,1H,2H,2H-Perfluorodecyl acrylate	8:2 FTA	27905-45-9	0.1	--	N.D.
83	1-Iodine-1H,1H,2H,2H-perfluorodecane	8:2 FTI	2043-53-0	0.1	--	N.D.
Conclusion					--	DATA

Note: N.D.= Not Detected(<MDL)
 mg/kg = milligram per kilogram = ppm = part per million
 MDL= Detection Limit
 *Results shown of the substances are converted from the results of certain compounds.

Remark: Tested sample-photo 1

This report is to supersede NBTS report No. NB212602050006 dated on February 10, 2026.

Reason for modification:
 The customer requires to modify Model No.


Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as PASS nor as FAIL.

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Items marked with “#” means they are not accredited by CNAS, “s” means the item of subcontractor, “*” means test items was/were not in CMA scope and the result cannot be as social justice proof data.

Room 201, Room 401, Building 11, No.38 Dongke Road, Dongcheng Street, Dongguan City, Guangdong Province

Samples photograph



1

NB212602050006



NB212602050006

NBTS authenticate the photograph on original report only

*** End of Report ***

This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Items marked with “#” means they are not accredited by CNAS, “s” means the item of subcontractor, “*” means test items was/were not in CMA scope and the result cannot be as social justice proof data.

Room 201, Room 401, Building 11, No.38 Dongke Road, Dongcheng Street, Dongguan City, Guangdong Province